

MyBatis Hazelcast integration - Reference Documentation

The MyBatis Community (MyBatis.org)

Copyright © 2010

Copies of this document may be made for your own use and for distribution to others, provided that you do not charge any fee for such copies and further provided that each copy contains this Copyright Notice, whether distributed in print or electronically.

1. The MyBatis Hazelcast integration	1
1.1. How to	1

Chapter 1. The MyBatis Hazelcast integration

1.1. How to

[Hazelcast](#) is an open source clustering and highly scalable data distribution platform for Java.

Users that want to use Hazelcast into their applications, have to download the 1.0.0 zip [bundle](#), decompress it and add the jars in the classpath; Apache Maven users instead can simply add in the `pom.xml` the following dependency:

```
<dependencies>
  ...
  <dependency>
    <groupId>org.mybatis</groupId>
    <artifactId>mybatis-hazelcast</artifactId>
    <version>1.0.0</version>
  </dependency>
  ...
</dependencies>
```

then, just configure it in the mapper XML

```
<mapper namespace="org.acme.FooMapper">
  <cache type="org.mybatis.hazelcast.HazelcastCache" />
  ...
</mapper>
```

If users need to log cache operations, they can plug the Cache logging version:

```
<mapper namespace="org.acme.FooMapper">
  <cache type="org.mybatis.hazelcast.LoggingHazelcastCache" />
  ...
</mapper>
```

Please refer to the official Hazelcast Near Cache [documentation](#) to know more details how to configure Hazelcast as Cache.